L Number	Hits	Search Text	DB	Time stamp
-	2	20010013078.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:10
-	698561	(transmi$7 or tx$2) with (receiv$7 or rx$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:39
-	126666	capacit$7 near6 (line$1 or path$1 or bus or busses or buses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:45
-	28558	(capacit$7 near6 (line$1 or path$1 or bus or busses or buses)) with (stor$3 or buffer$3 or memory or latch$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:47
-	395	((transmi$7 or tx$2) with (receiv$7 or rx$2)) same ((capacit$7 near6 (line$1 or path$1 or bus or busses or buses)) with (stor$3 or buffer$3 or memory or latch$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:41
-	377	(((transmi$7 or tx$2) with (receiv$7 or rx$2)) same ((capacit$7 near6 (line$1 or path$1 or bus or busses or buses)) with (stor$3 or buffer$3 or memory or latch$3))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:48
-	897	((capacit$7 near6 (line$1 or path$1 or bus or busses or buses)) with (stor$3 or buffer$3 or memory or latch$3)) with (instead or stead or place or lieu or substitu$5 or replac$7 or eliminat$5 or obviat$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:47
-	3	((transmi$7 or tx$2) with (receiv$7 or rx$2)) same (((capacit$7 near6 (line$1 or path$1 or bus or busses or buses)) with (stor$3 or buffer$3 or memory or latch$3)) with (instead or stead or place or lieu or substitu$5 or replac$7 or eliminat$5 or obviat$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:45
-	38851	(capacit?nce$1 or capacitiv$5) near6 (line$1 or path$1 or bus or busses or buses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 13:09
-	7808	((capacit?nce$1 or capacitiv$5) near6 (line$1 or path$1 or bus or busses or buses)) with (stor$3 or buffer$3 or memory or latch$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:55

-	238	(((capacit?nce\$1 or capacitiv\$5) near6 (line\$1 or path\$1 or bus or busses or buses)) with (stor\$3 or buffer\$3 or memory or latch\$3)) with (instead or stead or place or lieu or substitu\$5 or replac\$7 or eliminat\$5 or obviat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:56
-	220	(((((capacit?nce\$1 or capacitiv\$5) near6 (line\$1 or path\$1 or bus or busses or buses)) with (stor\$3 or buffer\$3 or memory or latch\$3)) with (instead or stead or place or lieu or substitu\$5 or replac\$7 or eliminat\$5 or obviat\$5)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 11:51
-	5849	((capacit?nce\$1 or capacitiv\$5) near6 (line\$1 or path\$1 or bus or busses or buses)) with (advantag\$5 or use\$7 or using or benefi\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:55
-	958	(((capacit?nce\$1 or capacitiv\$5) near6 (line\$1 or path\$1 or bus or busses or buses)) with (advantag\$5 or use\$7 or using or benefi\$5)) with (stor\$3 or buffer\$3 or memory or latch\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:56
-	7	(((((capacit?nce\$1 or capacitiv\$5) near6 (line\$1 or path\$1 or bus or busses or buses)) with (advantag\$5 or use\$7 or using or benefi\$5)) with (stor\$3 or buffer\$3 or memory or latch\$3)) with (instead or stead or place or lieu or substitu\$5 or replac\$7 or eliminat\$5 or obviat\$5)) not (((((capacit?nce\$1 or capacitiv\$5) near6 (line\$1 or path\$1 or bus or busses or buses)) with (stor\$3 or buffer\$3 or memory or latch\$3)) with (instead or stead or place or lieu or substitu\$5 or replac\$7 or eliminat\$5 or obviat\$5)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:56
-	0	((((((capacit?nce\$1 or capacitiv\$5) near6 (line\$1 or path\$1 or bus or busses or buses)) with (advantag\$5 or use\$7 or using or benefi\$5)) with (stor\$3 or buffer\$3 or memory or latch\$3)) with (instead or stead or place or lieu or substitu\$5 or replac\$7 or eliminat\$5 or obviat\$5)) not (((((capacit?nce\$1 or capacitiv\$5) near6 (line\$1 or path\$1 or bus or busses or buses)) with (stor\$3 or buffer\$3 or memory or latch\$3)) with (instead or stead or place or lieu or substitu\$5 or replac\$7 or eliminat\$5 or obviat\$5)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 13:07
-	6	(US-4956564-\$ or US-4961002-\$ or US-5028810-\$ or US-5757008-\$ or US-4537471-\$ or US-4567561-\$).did.	USPAT	2004/02/04 12:20

-	51	((((capacit?nce$1 or capacitiv$5) near6 (line$1 or path$1 or bus or busses or buses)) with (advantag$5 or use$7 or using or benefi$5)) with (stor$3 or buffer$3 or memory or latch$3)) with (instead or stead or place or lieu or substitu$5 or replac$7 or eliminat$5 or obviat$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:31
-	2	4567561.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:37
-	4	("3938094" | "4045684" | "4075606" | "4144589").PN.	USPAT	2004/02/04 12:32
-	2	(("3938094" | "4045684" | "4075606" | "4144589").PN.) and (capacit?nce$1 or capacitiv47)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:38
-	2	(("3938094" | "4045684" | "4075606" | "4144589").PN.) and (capacit?nce$1 or capacitiv$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:40
-	3	4567561.URPN.	USPAT	2004/02/04 12:40
-	0	4567561.URPN. and (capacit?nce$1 or capacitiv$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:59
-	313	myers-paul$.xa,xp.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:41
-	17	myers-paul$.xa,xp. and capacit?nce$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:43
-	3408	inherent$2 near4 capacit?nce$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:43
-	354	(inherent$2 near4 capacit?nce$1) and propagation$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:44
-	116	((inherent$2 near4 capacit?nce$1) and propagation$1) and bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:47

-	125	(inherent$2 near4 capacit?nce$1) same bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:47
-	27	((inherent$2 near4 capacit?nce$1) same bus) and propagation$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 12:47
-	1617238	(maint$7 or retain$5 or preserv$5 or keep$5 or hold$5 or held or stor$5 or latch$5) near6 (voltage$1 or volt$1 or data or value$1 or charge$1 or potential$1 or signal$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 13:03
-	22614	((maint$7 or retain$5 or preserv$5 or keep$5 or hold$5 or held or stor$5 or latch$5) near6 (voltage$1 or volt$1 or data or value$1 or charge$1 or potential$1 or signal$1)) with (capacit?nce$1 or capacitiv$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 13:04
-	4521	(((maint$7 or retain$5 or preserv$5 or keep$5 or hold$5 or held or stor$5 or latch$5) near6 (voltage$1 or volt$1 or data or value$1 or charge$1 or potential$1 or signal$1)) with (capacit?nce$1 or capacitiv$5)) with (line or lines or bus or busses or buses or path$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 13:04
-	4040	((((maint$7 or retain$5 or preserv$5 or keep$5 or hold$5 or held or stor$5 or latch$5) near6 (voltage$1 or volt$1 or data or value$1 or charge$1 or potential$1 or signal$1)) with (capacit?nce$1 or capacitiv$5)) with (line or lines or bus or busses or buses or path$1)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @ptld<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:00
-	3333	(((((maint$7 or retain$5 or preserv$5 or keep$5 or hold$5 or held or stor$5 or latch$5) near6 (voltage$1 or volt$1 or data or value$1 or charge$1 or potential$1 or signal$1)) with (capacit?nce$1 or capacitiv$5)) with (line or lines or bus or busses or buses or path$1)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @ptld<20010220 or @pd<20010220)) and ((capacit?nce$1 or capacitiv$5) near6 (line$1 or path$1 or bus or busses or buses))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 13:15
-	437	((((((maint$7 or retain$5 or preserv$5 or keep$5 or hold$5 or held or stor$5 or latch$5) near6 (voltage$1 or volt$1 or data or value$1 or charge$1 or potential$1 or signal$1)) with (capacit?nce$1 or capacitiv$5)) with (line or lines or bus or busses or buses or path$1)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @ptld<20010220 or @pd<20010220)) and ((capacit?nce$1 or capacitiv$5) near6 (line$1 or path$1 or bus or busses or buses))) and ((transmi$7 or tx$2) with (receiv$7 or rx$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13:31

-	22818	(transmitter$1 or tx$2) near6 (controll?r$1 or (control adj3 (unit$1 or section$1 or module$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:01
-	32663	(receiver$1 or rx$2) near6 (controll?r$1 or (control adj3 (unit$1 or section$1 or module$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13:59
-	8154	((transmitter$1 or tx$2) near6 (controll?r$1 or (control adj3 (unit$1 or section$1 or module$1)))) with ((receiver$1 or rx$2) near6 (controll?r$1 or (control adj3 (unit$1 or section$1 or module$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13:34
-	2407	(((transmitter$1 or tx$2) near6 (controll?r$1 or (control adj3 (unit$1 or section$1 or module$1)))) with ((receiver$1 or rx$2) near6 (controll?r$1 or (control adj3 (unit$1 or section$1 or module$1))))) and (ic or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13:36
-	2417	(((transmitter$1 or tx$2) near6 (controll?r$1 or (control adj3 (unit$1 or section$1 or module$1)))) with ((receiver$1 or rx$2) near6 (controll?r$1 or (control adj3 (unit$1 or section$1 or module$1))))) and (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:01
-	115212	(own or each or respective$2 or correspond$5 or associat$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:10
-	1858	((own or each or respective$2 or correspond$5 or associat$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with (transmitter$1 or tx$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13:59
-	857	(((own or each or respective$2 or correspond$5 or associat$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with (transmitter$1 or tx$2)) with (receiver$1 or rx$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 13:59
-	278	((((own or each or respective$2 or correspond$5 or associat$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with (transmitter$1 or tx$2)) with (receiver$1 or rx$2)) and (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:00

-	255	(((((own or each or respective$2 or correspond$5 or associat$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with (transmitter$1 or tx$2)) with (receiver$1 or rx$2)) and (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:02
-	176037	(transmitter$1 or tx$2) with (receiver$1 or rx$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:09
-	5466	((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:14
-	46	(((((own or each or respective$2 or correspond$5 or associat$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with (transmitter$1 or tx$2)) with (receiver$1 or rx$2)) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:10
-	39	(((((own or each or respective$2 or correspond$5 or associat$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with (transmitter$1 or tx$2)) with (receiver$1 or rx$2)) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:11
-	19553	((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 11:40
-	958	(((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 11:46
-	657	(((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) same (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:11

-	836	((((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:12
-	501	(((((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) and 3??.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:14
-	477	((((((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) and 3??.clas.) not ((((((own or each or respective$2 or correspond$5 or associat$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with (transmitter$1 or tx$2)) with (receiver$1 or rx$2)) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:14
-	1145608	(ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:14

-	101	((((((((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) and 3??.clas.) not ((((((own or each or respective$2 or correspond$5 or associat$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with (transmitter$1 or tx$2)) with (receiver$1 or rx$2)) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220))) and ((ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 11:40
-	19553	((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:40
-	2078	(((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with ((first with second) or (two or dual))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 11:46
-	5466	((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:47
-	133	((((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with ((first with second) or (two or dual))) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 11:49
-	28164	two with instead with one	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 11:49

-	1	(((((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with ((first with second) or (two or dual))) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))) and (two with instead with one)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 11:50
-	82741	two near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:10
-	70	(((((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with ((first with second) or (two or dual))) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))) and (two near6 (controll?r$1 or (control adj3 (unit$1 or device$1 or section$1 or agent$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 11:51
-	60	((((((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))) with ((first with second) or (two or dual))) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))) and (two near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:14
-	68213	(divi$7 or split$5 or separa$5 or partition$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:17
-	396	((divi$7 or split$5 or separa$5 or partition$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:13
-	9859	((divi$7 or split$5 or separa$5 or partition$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with (two or (first with second))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:13

-	52	(((divi$7 or split$5 or separa$5 or partition$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with (two or (first with second))) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:13
-	48	(((((divi$7 or split$5 or separa$5 or partition$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with (two or (first with second))) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:19
-	26	((((((divi$7 or split$5 or separa$5 or partition$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with (two or (first with second))) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) not (((((((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with ((first with second) or (two or dual))) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))) and (two near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:14
-	27620	(receiver$1 or rx$2) near4 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:21
-	19346	(transmitter$1 or tx$2) near4 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:21
-	5472	((receiver$1 or rx$2) near4 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with ((transmitter$1 or tx$2) near4 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:18

-	327	(((receiver$1 or rx$2) near4 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with ((transmitter$1 or tx$2) near4 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:19
-	179	(((receiver$1 or rx$2) near4 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with ((transmitter$1 or tx$2) near4 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))) same (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:19
-	157	((((receiver$1 or rx$2) near4 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with ((transmitter$1 or tx$2) near4 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))) same (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:23

-	151	(((((receiver$1 or rx$2) near4 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with ((transmitter$1 or tx$2) near4 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))) same (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) not (((((((divi$7 or split$5 or separa$5 or partition$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with (two or (first with second)))) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) not (((((((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with ((first with second) or (two or dual))) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))) and (two near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220))) or ((((((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with ((first with second) or (two or dual)) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))) and (two near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:20
-	14317	(receiver$1 or rx$2) near2 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:22
-	9635	(transmitter$1 or tx$2) near2 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:22

-	1518	((receiver$1 or rx$2) near2 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with ((transmitter$1 or tx$2) near2 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:22
-	30	(((receiver$1 or rx$2) near2 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with ((transmitter$1 or tx$2) near2 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))) same (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:22
-	18	((((receiver$1 or rx$2) near2 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))) with ((transmitter$1 or tx$2) near2 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))) same (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @ptld<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:43
-	186434	((transmitter$1 or tx$2 or driver$1) with (receiver$1 or rx$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:42
-	182176	(own or distinct$7 or associat$5 or correspond$5 or respectiv$5 or individual$5 or separa$5 or independen$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:42
-	1284	(((transmitter$1 or tx$2 or driver$1) with (receiver$1 or rx$2)) with ((own or distinct$7 or associat$5 or correspond$5 or respectiv$5 or individual$5 or separa$5 or independen$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:42
-	26871	((transmitter$1 or tx$2 or driver$1) with (receiver$1 or rx$2)).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:42
-	518	(((((transmitter$1 or tx$2 or driver$1) with (receiver$1 or rx$2))) with ((own or distinct$7 or associat$5 or correspond$5 or respectiv$5 or individual$5 or separa$5 or independen$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))) and (((transmitter$1 or tx$2 or driver$1) with (receiver$1 or rx$2)).clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:43

-	461	(((((transmitter$1 or tx$2 or driver$1) with (receiver$1 or rx$2))) with ((own or distinct$7 or associat$5 or correspond$5 or respectiv$5 or individual$5 or separa$5 or independen$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))) and (((transmitter$1 or tx$2 or driver$1) with (receiver$1 or rx$2)).clm.)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:46
-	68	(((((transmitter$1 or tx$2 or driver$1) with (receiver$1 or rx$2))) with ((own or distinct$7 or associat$5 or correspond$5 or respectiv$5 or individual$5 or separa$5 or independen$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:44
-	25538	(two with instead with one) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:45
-	58	(((((transmitter$1 or tx$2 or driver$1) with (receiver$1 or rx$2))) with ((own or distinct$7 or associat$5 or correspond$5 or respectiv$5 or individual$5 or separa$5 or independen$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))) and (((transmitter$1 or tx$2) with (receiver$1 or rx$2)) with (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5))) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:46
-	3053240	(transfer$5 or communica$5 or transmi$5).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:46
-	376	((((((transmitter$1 or tx$2 or driver$1) with (receiver$1 or rx$2))) with ((own or distinct$7 or associat$5 or correspond$5 or respectiv$5 or individual$5 or separa$5 or independen$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))) and (((transmitter$1 or tx$2 or driver$1) with (receiver$1 or rx$2)).clm.)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) and ((transfer$5 or communica$5 or transmi$5).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:46

-		376	((((((((transmitter$1 or tx$2 or driver$1) with (receiver$1 or rx$2))) with ((own or distinct$7 or associat$5 or correspond$5 or respectiv$5 or individual$5 or separa$5 or independen$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))) and (((transmitter$1 or tx$2 or driver$1) with (receiver$1 or rx$2)).clm.)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) and ((transfer$5 or communica$5 or transmi$5).ab.)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:56
-		137	(((((((((transmitter$1 or tx$2 or driver$1) with (receiver$1 or rx$2))) with ((own or distinct$7 or associat$5 or correspond$5 or respectiv$5 or individual$5 or separa$5 or independen$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))) and (((transmitter$1 or tx$2 or driver$1) with (receiver$1 or rx$2)).clm.)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) and ((transfer$5 or communica$5 or transmi$5).ab.)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) and (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:49
-		103	((((((((((transmitter$1 or tx$2 or driver$1) with (receiver$1 or rx$2))) with ((own or distinct$7 or associat$5 or correspond$5 or respectiv$5 or individual$5 or separa$5 or independen$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))) and (((transmitter$1 or tx$2 or driver$1) with (receiver$1 or rx$2)).clm.)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) and ((transfer$5 or communica$5 or transmi$5).ab.)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)) and (ic or ics or chip$5 or integrated adj2 circuit$2 or semiconduct$5 or semi adj2 conduct$5)) and 3??.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:55
-		176	((((transmitter$1 or tx$2 or driver$1) with (receiver$1 or rx$2))) with ((own or distinct$7 or associat$5 or correspond$5 or respectiv$5 or individual$5 or separa$5 or independen$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))) with (line or lines or bus or busses or buses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:56

-	129	(((((transmitter$1 or tx$2 or driver$1) with (receiver$1 or rx$2))) with ((own or distinct$7 or associat$5 or correspond$5 or respectiv$5 or individual$5 or separa$5 or independen$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))) with (line or lines or bus or busses or buses)) and ((transfer$5 or communica$5 or transmi$5).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:56
-	119	((((((transmitter$1 or tx$2 or driver$1) with (receiver$1 or rx$2))) with ((own or distinct$7 or associat$5 or correspond$5 or respectiv$5 or individual$5 or separa$5 or independen$5) near6 (controll?r$1 or (control adj3 (unit$1 or module$1 or device$1 or section$1 or agent$1))))) with (line or lines or bus or busses or buses)) and ((transfer$5 or communica$5 or transmi$5).ab.)) and (@ad<20010220 or @rlad<20010220 or @prad<20010220 or @pt1d<20010220 or @pd<20010220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 12:56
-	4	(US-5675642-$ or US-6378011-$ or US-5293378-$ or US-5345113-$).did.	USPAT	2004/02/06 15:11